

正本

檔 號：

保存年限：

財團法人佛教慈濟綜合醫院大林分院 函

60063
嘉義市吳鳳南路37巷52號

地址：622嘉義縣大林鎮民生路二號
承辦人：方慧貞
電話：05-2648000轉5240
傳真：05-2648999


受文者：嘉義市醫師公會

發文日期：中華民國100年2月16日
發文字號：慈醫大林文字第1000000295號
速別：普通件
密等及解密條件或保密期限：普通
附件：隨文發訖

主旨：檢送本院舉辦「台灣麻醉醫學會雲嘉地區聯合討論會」課程表乙份，敬請轉知並鼓勵所屬醫護同仁踴躍參加，無任感荷。

說明：

- 一、時間：民國100年2月26日(星期六)9時至11時。
- 二、地點：本院大愛樓2F第二會議室。
- 三、隨函檢附：課程表乙份



正本：國立成功大學附設醫院、奇美醫療財團法人奇美醫院、奇美醫療財團法人奇美醫院台南分院、台灣基督長老教會新樓醫療財團法人麻豆新樓醫院、中國醫藥大學北港附設醫院、長庚醫療財團法人嘉義長庚紀念醫院、戴德森醫療財團法人嘉義基督教醫院、財團法人天主教聖馬爾定醫院、嘉義市醫師公會、嘉義縣醫師公會、財團法人天主教若瑟醫院、行政院衛生署嘉義醫院、財團法人佛教慈濟綜合醫院台中分院、中山醫學大學附設醫院、中國醫藥大學附設醫院、光田醫療社團法人光田綜合醫院、光田醫療社團法人光田綜合醫院大甲院區、仁愛醫療財團法人大里仁愛醫院、財團法人彰化基督教醫院雲林分院、秀傳醫療財團法人彰濱秀傳紀念醫院、澄清綜合醫院、行政院國軍退除役官兵輔導委員會臺中榮民總醫院、行政院衛生署南投醫院、行政院衛生署彰化醫院

副本：本院院長室教研行政組、財團法人佛教慈濟綜合醫院大林分院

院長 簡守信

上網公告
鄭華芬
100.2.21

152平

台灣麻醉醫學會雲嘉地區聯合討論會

- 一、主辦單位：財團法人佛教慈濟綜合醫院大林分院
- 二、時間：100年02月26日(星期六)09:00~11:00
- 三、地點：大林慈濟醫院 大愛樓 第二會議室
- 四、教育積分：台灣麻醉醫學會、台灣疼痛醫學會、台灣麻醉護理學會學分、中華民國重症醫學會、中華民國急救加護醫學會、中華民國心臟麻醉醫學會、護理人員繼續教育積分。

時間	題目	主講人
08:50-09:00	報 到	
09:00-09:50	Case report	陳律霖醫師
09:50-10:00	Break Time	
10:00-10:50	Case conference : complications of total knee replacement	張銀龍醫師
10:50-11:00	綜 合 討 論	

聯絡方式：052648000-5240 院長室教研行政組 方慧貞

摘要：

主題: Case report

A circumstance of bradycardia and decreased end-tidal CO₂ during anesthesia emergence.

A 38-year-old woman was scheduled to undergo a sequestrectomy of multiple fingers. She had a long history of SLE with steroid use, ESRD under regular peritoneal dialysis, and poor heart function with EF=23%. The anesthetic induction and maintenance were uneventful. Bradycardia, unreliable arterial pulsation, and decreased end-tidal CO₂ were noted in the emergence phase. The patient was refractory to resuscitation and expired 2 hours later.

主題: case conference: complications of total knee replacement

An 80 year-old male patient suffered from left knee osteoarthritis.

He was scheduled to receive a left total knee replacement on 99/10/22.

Under the spinal anesthesia, the vital signs of this patient were stable at the operating room. After care at POR for one hour, the patient was transferred to the orthopedic ward. About 5 to 10 minutes later, this patient lost his consciousness and showed hypoxic so he was intubated and transferred to ICU.

What happened to this patient ?